



A.15-05-002, et al S-MAP Phase 2, Workshop #3




**Risk Assessment and Safety Advisory Section
Safety & Enforcement Division**

September 28, 2017



Safety and Emergency Information

- In the event of an emergency, please proceed calmly out the exits.
- The Evacuation Location is the courtyard between the War Memorial Building and the Herbst Theater.
- It is located on the other side of City Hall. Exit the building at Van Ness and McAlister streets and walk past City Hall.





Practical Information

WiFi Access:

SSID: cpucguest

User: guest

Password: cpuc83117

Restrooms:

**out the Auditorium doors
and down the far end of the
hallway.**

Call in information:

- Phone line: 1-866-859-2737
Participant code: 1682922

WebEx:

<http://tinyurl.com/ya4a68re>

- Meeting Number: 748 093 871
- Meeting Password: Smap75170!



Workshops in Phase 2

- Workshop 1 – Oct. 21, 2016. Refresher of the Joint Intervenor Approach (JIA).
- Workshop 2 – Feb. 15, 2017. Joint Utilities introduced the Joint Utilities Approach (JUA).
- **Workshop 3 – Sept. 28, 2017. Joint Utilities present safety attribute for use in the JUA.**
- Workshop 4 – Week of Oct. 30, 2017 as proposed by parties. JIA and JUA test drive results.
- Other future workshops will be determined by ALJ.



Thank You

For Additional Information:

www.cpuc.ca.gov/RiskAssessment

